Unlocking [redacted] through [redacted] in Critically Ill Patients

Rúben Araújo[1,2,3]*, Luís Ramalhete[1,4,5], Cristiana Von Rekowski[1,2,3], Tiago Fonseca[1,2,3], Luís Bento[1,2.6,7], Cecília Calado[3,8]

[1] NMS – NOVA Medical School, Campo dos Mártires da Pátria 130, 1169-056, Lisboa, Portugal
[2] CHRC – Comprehensive Health Research Centre, Rua Câmara Pestana 6, 1150-199, Lisboa, Portugal
[3] ISEL-Instituto Superior de Engenharia de Lisboa, Instituto Politécnico de Lisboa, Rua Conselheiro Emídio Navarro 1, 1959-007 Lisboa, Portugal
[4] IPST – Instituto Português do Sangue e da Transplantação, Alameda das Linhas de Torres – nr.117, 1769-001 Lisboa, Portugal
[5] iNOVA4Health - Advancing Precision Medicine, RG11: Reno-Vascular Diseases Group, NOVA Medical School, Faculdade de Ciências Médicas, Universidade NOVA de Lisboa, 1169-056 Lisbon, Portugal
[6] Intensive Care Department, ULSSJ—Unidade Local de Saúde São José, Rua José António Serrano, 1150-199 Lisbon, Portugal
[7] Integrated Pathophysiological Mechanisms, CHRC, NOVA Medical School, Faculdade de Ciências Médicas, NMS, FCM, Universidade NOVA de Lisboa; Campo Mártires da Pátria, 130, 1169-056 Lisboa, Portugal
[8] Institute for Bioengineering and Biosciences (iBB), The Associate Laboratory Institute for Health and Bioeconomy–i4HB, Instituto Superior Técnico (IST), Universidade de Lisboa (UL), Av. Rovisco Pais, 1049-001 Lisboa, Portugal

*** corresponding author:** rubenalexandredinisaraujo@gmail.com
R. Conselheiro Emídio Navarro 1, 1959-007 Lisboa, Portugal
Instituto Superior de Engenharia de Lisboa
Instituto Politécnico de Lisboa

ORCIDs iDS

Rúben Araújo: 0000-0002-9369-6486 | **Luís Ramalhete:** 0000-0002-8911-3380
Cristiana Von Rekoswki: 0009-0009-6843-1935 | **Tiago Fonseca:** 0000-0003-0741-[redacted]
Luís Bento: 0000-0002-0260-003X | **Cecília B.C.** [redacted]-0002-5264-97[redacted]

Abstract

[redacted] diagnostics in [redacted] sive [redacted] ts [redacted] n [redacted], which [redacted] e tim [redacted] nsumi [redacted] prone to [redacted] se [redacted] positive [redacted] pe [redacted] ly. [redacted] nitation [redacted] n dela [redacted] ical [redacted] nt and contribute to [redacted] This s [redacted] evalu [redacted] [redacted] mbined [redacted] [redacted] [redacted] o pr [redacted] the [redacted], based on [redacted] [redacted] ICU patien [redacted] ee pa [redacted] groups [redacted] re examined: those with [redacted] ose [redacted] t an [redacted] r [redacted] grou [redacted] M [redacted] dels d [redacted] ed, accurately distinguished [redacted] [redacted], discriminated [redacted] [redacted], an [redacted] [redacted] [redacted] [redacted] ar [redacted] ti [redacted] she [redacted] [redacted] Dis [redacted] minati [redacted] [redacted] [redacted] to [redacted] nited samples, showin [redacted] sitivity [redacted] a [redacted] [redacted] All ti [redacted] e results point to a [redacted] ential for rapid, precise diag [redacted] stics o [redacted] a [redacted] [redacted] ically ill patients [redacted] educing reliance [redacted] [redacted] and [redacted] ncing more precise t [redacted], thereby improving patient outcomes.

Keywo [redacted], [redacted], [redacted], [redacted].